

BERG GRAND FAVORIT + SAFETY NET COMFORT, BERG GRAND FAVORIT INGROUND + SAFETY NET COMFORT, BERG GRAND FAVORIT INGROUND

Practice your **favourite jump** safely!



## WHY A *GRAND* FAVORIT?

The right balance between quality and price

Do you not get enough of jumping? No problem! The BERG Favorit provides years of pleasure, hardly wears and requires little maintenance. The BERG Favorit has been developed with great attention and care. This has resulted in a qualitatively excellent trampoline, which is safe to use.

In this productsheet you can find information about:

- The oval shape
- The protective edge
- The jump mat
- The springs
- The frame
- The Safety Net Comfort"



#### Warranty

Frame:8 year\*Protective edge:2 yearJumping mat:2 yearSprings:2 year\* On registration at bergtoys.com/registration.

### Practice your **favourite jump** safely!



## **1. THE OVAL SHAPE**

The oval shape combines the efficient strength of a round frame with the large jumping surface of a rectangular trampoline. On an oval trampoline you can make some nice jumps over the entire length.







### 2. PROTECTIVE EDGE

The Grand Favorit trampoline has a padding with a 20/10 mm thick foam layer. The foam layer is made from water-reppelent "closed cell foam". The foam is covered by a thick water-resistant top layer of enforced PVC. The padding is 380 mm wide which ensures a good protective overlap of the springs.







## 3. THE JUMP MAT

The durable jump mat is made from woven polypropylene. The loops for the strong metal spring eyes are thoroughly joined to the jump mat with no less than 8 rows of stitching.



Practice your **favourite jump** safely!



## 4. GOLDSPRING SOLO

The Favorit has Goldspring Solo springs. These are longer than the springs on the Talent trampoline line. This makes the springs more flexible. These springs are galvanized internally and externally with a solid corrosion-resistant zinc coating.





Practice your **favourite jump** safely!



## 5. FRAME

The Grand Favorit has a solid frame of strong tubes with a substantial tube thickness. The frame is highly rust-resistant caused by the special double coating on the tube. The frame is easy to assemble.

The new toprail design offers extra strength and stability and improves the life span of the frame.

Improved design! -Original design 100 E-E-E-E Salety Net Comfan • 48 mm ∘ 42 mm Extra strong! Zinc Layer 25 mm longer weld line ⊸ 42 mm Practice your **favourite** jump safely!



## 6. SAFETY NET COMFORT

The Safety Net Comfort is a safe net through the self-closing entrance with recognizable piping. The poles of the net can easily be attached to the trampoline frame (Regular or InGround). Due to the thick foam around the poles, it is extra safe.



Practice your **favourite jump** safely!



## **BERG** *CRAND* **FAVORIT** + **SAFETY NET COMFORT**

#### The right balance between quality and price

**BERG** Trampoline





If you prefer not to dig a hole in your garden, a high trampoline is a good choice. A high trampoline is easy to install and move around. A high trampoline is also clearly visible in your garden.



	rticle ımber	EAN - Code	Product name	Package 1	Package 2	Max weight user KG	springs	Size in CM	Testweight in kg	Tube diameter / wall thickness Toprail in mm		ness in mm			
30.2	25.65.30	8715839067774	BERG Grand Favorit Grey 520 + Safety Net Comfort	30.25.15.30	35.74.63.00	120	96	520 x 345	600	Ø48x2,0	Ø42x2	20/10	380	31,8 x 1,2	275
30.2	25.65.70	8715839067743	BERG Grand Favorit Green 520 + Safety Net Comfort	30.25.15.70	35.74.63.00	120	96	520 x 345	600	Ø48x2,0	Ø42x2	20/10	380	31,8 x 1,2	275

Practice your **favourite jump** safely!



## BERG CRAND FAVORIT INGROUND + SAFETY NET COMFORT

The right balance between quality and price

BERG InGround Trampoline





A sunken trampoline with a safety net has a low threshold, making it easy and safe to step onto. The InGround trampoline is less visible in the garden than a high trampoline.



	Article number	EAN - Code	Product name	Package 1	Package 2	Number of springs	Entrance height in cm	Testweight in kg		Tube diameter / wall thickness Toprail in mm	/ wall thickness	ness in mm	ding in mm		height
ſ	30.23.65.30	8715839067767	BERG Grand Favorit Grey InGround 520 + Safety Net Comfort	30.23.15.30	35.74.63.00	96	27	600	120	Ø48x2,0	Ø42x2	20/10	380	31,8 x 1,2	207
[	30.23.65.70	8715839067736	BERG Grand Favorit Green InGround 520 + Safety Net Comfort	30.23.15.70	35.74.63.00	96	27	600	120	Ø48x2,0	Ø42x2	20/10	380	31,8 x 1,2	207

Practice your **favourite jump** safely!



## BERG *CRAND* FAVORIT INGROUND

The right balance between quality and price

#### BERG SPORTS Trampoline





The sunken trampoline without safety net (sports) is nicely concealed in your garden. The low threshold of 27 centimetres makes the trampoline easy and safe to step onto.



Article number	EAN - Code	Product name	Number of springs	Entrance height in cm	Testweight in kg	Max weight user KG		Tube diameter / wall thickness Legs in mm			Totale height trampoline in CM
30.23.15.30	8715839067828	BERG Grand Favorit Grey InGround 520	96	27	600	120	Ø48x2,0	Ø42x2	20/10	380	27
30.23.15.70	8715839067811	BERG Grand Favorit Green InGround 520	96	27	600	120	Ø48x2,0	Ø42x2	20/10	380	27

Practice your **favourite jump** safely!



# **BERG** *GRAND* **FAVORIT ACCESSORIES**

The right balance between quality and price

	Accessory	Article	Product weight	Product weight + box	Box size in CM
1	BERG Grand Weather cover Extra Grey 520	35.99.68.00	8.35 kg	9.36 kg	42x21x57
2	BERG Grand Weather cover Extra Green 520	35.99.58.01	8.35 kg	9.36 kg	42x21x57



Practice your **favourite jump** safely!





# **BERG** *GRAND* **FAVORIT ACCESSORIES**

The right balance between quality and price

	Accessory	Article	Product weight	Product weight + box	Box size in CM
1	BERG Ladder L	35.90.04.00	2.7 kg	3.4 kg	84x6x24
2	BERG Ladder Platform + Ladder L	35.90.54.00	5.5 kg	7.3 kg	56x14x54 + 24x84x6
3	BERG Anchor set	35.99.10.00	1.41 kg	1.5 kg	30x10x10



Ladder L For trampolines measuring 85, 90 and 95 cm high. The ladder is height adjustable.

> Practice your **favourite jump** safely!



